



CERTIFICATE N° 878/0093-01

In pursuance of the nomination received from Shipper(s), which we summarize hereunder:

EXPORT / TRADER / SHIPPER	IBERA MERCANTIL SA AV. LEANDRO N ALEM N° 690 PISO 17° (1001) CIUDAD AUTONOMA DE BUENOS AIRES, ARGENTINA	
FISCAL IDENTIFICATION (TAX)	30-71011780-9	
PURCHASE ORDER NUMBER	Prof. 033-2024	LIAF CONTROL # ID 878
LOT NUMBER	18072024	
VESSEL	MAERSK BERMUDA	
BOARDING PERMISSION	24 008 EC01 006827 Z	
BOOKING	241435335	
BILL OF LADING	HBL - 578	
CONTAINERS	SUDU 758742-9 / MSKU 589145-0 / TCLU 230995-4 / TEMU 133207-3 / MRKU 951046-2 / TCLU 717856-4 / MRKU 768322-1 / TGHU 125164-6 / TLLU 224953-4 / SUDU 780466-9 GESU 392867-2 / MSKU 597221-1 / MSKU 552362-7 / MRKU 929080-9 / HASU 106321-0 / MRKU 761327-1 / TCKU 115424-9 / GESU 384516-1 / TCKU 112420-2 / MRKU 973739-5	
PRODUCT	Argentinean (indirect or gas dried) Long Grain Brown Rice, "IRGA 424" variety 2024 crop, sortexed quality. Rice to be submitted to further processing. HS code 1006 20 98	
QUANTITY LOADED	Total Net Weight / Total Gross Weight: 501.410 kg, in 20 containers	
PACKAGING	In bulk in containers, using liner-type bags. Absorbent blanket on the ceiling. Wooden slats on container doors.	
DATE'S INSPECTION	July 22 and 23, 2024	
SAMPLE PLACE	DEPOSITO CRUMA, ZÁRATE, BUENOS AIRES	
PORT OF DESTINATION	LEIXOES, PORTUGAL	
PORT OF LOADING	ZARATE, ARGENTINA	
CONSIGNEE	NOVARROZ – PRODUTOS ALIMENTARES, S.A Rua da Moura, 43- Adaes 3720 – 58 UL- Oliveira de Azemeis PORTUGAL	
NOTIFY PARTY	NOVARROZ – PRODUTOS ALIMENTARES, S.A Rua da Moura, 43- Adaes 3720 – 58 UL- Oliveira de Azemeis - PORTUGAL	

Before to loading, samples were taken to be analyzed in order to determine the corresponding specifications. Copies of each analysis results are kept in our files.

HEAVY METAL	METHOD	RESULTS
Lead Limited de detection (LD) 0,088 mg/kg Limited de quantification (LC) 0,175 mg/kg	LPE.0277 EAA-Horno de grafito-05	NOT DETECTED
Cadmium Limited de detection (LD) 0,013 mg/kg Limited de quantification (LC) 0,025 mg/kg		NOT DETECTED
Arsenic Limited de detection (LD) 0,050 mg/kg Limited de quantification (LC) 0,100 mg/kg	LPE. 0278 EAA - Hidruros	0,206 mg/kg
MICOTOXIN	METHOD	RESULTS

This certificate is issued in accordance to instructions received from principals and conformity with the terms and conditions of the institutions whose logos form part of this certificate. According to the samples taken on the date and time of the sampling. Likewise, the liability of LIAF CONTROL SRL is limited to the amount declared by the corresponding invoice once the surveyor service has been performed; otherwise, the matter will be submitted to the courts of the city of Buenos Aires. The samples will be kept in our possession for the period requested by the client.



Aflatoxine B1 Límite de detección (LD) 0,5 ug/kg Límite de cuantificación (LC) 1,0 ug/kg	Protocol BCR N° C056405 (Silo 23)	LPE.0361 LC-MS/MS-06	NOT DETECTED
Total Aflatoxin			NOT DETECTED
Ochratoxin A Límite de detección (LD) 1,5 ug/kg Límite de cuantificación (LC) 3,0 ug/kg			NOT DETECTED

PESTICIDAS	METHOD	LD mg/kg	LC mg/kg	RESULTS
Protocolo BCR N° E094181 (Silo 23)				
Butoxido de Piperonilo	LC-MS/MS	0.005	0.010	0,016 mg/kg
2-Fenilfenol	GC-MS/MS	0.005	0.010	No detectado
2.4 D	LC-MS/MS	0.005	0.010	No detectado
2.4 DB	LC-MS/MS	0.010	0.020	No detectado
3-hidroxicarbofurano	LC-MS/MS	0.005	0.010	No detectado
AMPA Ácido Aminometilfosfónico	LC-MS/MS	0.050	0.100	No detectado
Abamectin	LC-MS/MS	0.025	0.050	No detectado
Acefato	LC-MS/MS	0.010	0.020	No detectado
Acetamiprid	LC-MS/MS	0.005	0.010	No detectado
Acetoclor	GC-MS/MS	0.005	0.010	No detectado
Acifluorfen	LC-MS/MS	0.010	0.020	No detectado
Aclonifen	LC-MS/MS	0.025	0.050	No detectado
Acrinatrina	GC-MS/MS	0.005	0.010	No detectado
Alaclor	LC-MS/MS	0.005	0.010	No detectado
Aldicarb	LC-MS/MS	0.005	0.010	No detectado
Aldicarb Sulfona	LC-MS/MS	0.005	0.010	No detectado
Aldicarb Sulfoxido	LC-MS/MS	0.005	0.010	No detectado
Aldrin	GC-MS/MS	0.005	0.010	No detectado
Aletrina	LC-MS/MS	0.025	0.050	No detectado
Alfa Endosulfan	GC-MS/MS	0.005	0.010	No detectado
Aminocarb	LC-MS/MS	0.005	0.010	No detectado
Asulam	LC-MS/MS	0.010	0.020	No detectado
Atrazina	LC-MS/MS	0.005	0.010	No detectado
Azinós Metil	LC-MS/MS	0.025	0.050	No detectado
Azinós etil	GC-MS/MS	0.005	0.010	No detectado
Azoxistrobina	LC-MS/MS	0.005	0.010	No detectado
Barban	LC-MS/MS	0.025	0.050	No detectado
Benazolin	LC-MS/MS	0.010	0.020	No detectado
Bendiocarb	GC-MS/MS	0.005	0.010	No detectado
Benomil / Carbendazim	LC-MS/MS	0.005	0.010	No detectado
Bentazon	LC-MS/MS	0.005	0.010	No detectado
Bentiavalicarb Isopropil	LC-MS/MS	0.005	0.010	No detectado
Benzoato de Emamectina	LC-MS/MS	0.010	0.020	No detectado
Benzovindiflupir	LC-MS/MS	0.005	0.010	No detectado
Beta Endosulfan	GC-MS/MS	0.005	0.010	No detectado
Biciclopirona	LC-MS/MS	0.010	0.020	No detectado
Bifentrina	GC-MS/MS	0.005	0.010	No detectado
Bixafen	GC-MS/MS	0.005	0.010	No detectado
Boscalid	GC-MS/MS	0.005	0.010	No detectado
Bromfeninfos	LC-MS/MS	0.010	0.020	No detectado
Bromofos etil	GC-MS/MS	0.005	0.010	No detectado
Bromofos metil	GC-MS/MS	0.010	0.020	No detectado
Bromopropilato	GC-MS/MS	0.005	0.010	No detectado
Bromoxinil	LC-MS/MS	0.005	0.010	No detectado
Bromoxinil Octanoato	GC-MS/MS	0.010	0.020	No detectado
Bufencarb	LC-MS/MS	0.005	0.010	No detectado
Buprofezin	LC-MS/MS	0.005	0.010	No detectado
Butilato	LC-MS/MS	0.005	0.010	No detectado
Butroxdim	LC-MS/MS	0.005	0.010	No detectado
Cadusafos	LC-MS/MS	0.005	0.010	No detectado
Captan	GC-MS/MS	0.010	0.020	No detectado
Carbaril	LC-MS/MS	0.005	0.010	No detectado
Carbifenotion	GC-MS/MS	0.010	0.020	No detectado
Carbofuran	LC-MS/MS	0.005	0.010	No detectado

This certificate is issued in accordance to instructions received from principals and conformity with the terms and conditions of the institutions whose logos form part of this certificate. According to the samples taken on the date and time of the sampling. Likewise, the liability of LIAF CONTROL SRL is limited to the amount declared by the corresponding invoice once the surveyor service has been performed; otherwise, the matter will be submitted to the courts of the city of Buenos Aires. The samples will be kept in our possession for the period requested by the client.



Carfentrazona Etil	LC-MS/MS	0.005	0.010	No detectado
Chinometionato	LC-MS/MS	0.010	0.020	No detectado
Cialotrina (suma de isómeros)	GC-MS/MS	0.010	0.020	No detectado
Cianofenos	LC-MS/MS	0.010	0.020	No detectado
Ciantraniliprol	LC-MS/MS	0.005	0.010	No detectado
Ciflutrina (suma de isómeros)	GC-MS/MS	0.010	0.020	No detectado
Cipermetrina (Suma Isómeros)	GC-MS/MS	0.010	0.020	No detectado
Ciproconazol	LC-MS/MS	0.005	0.010	No detectado
Ciprodinil	GC-MS/MS	0.005	0.010	No detectado
Cletodim	LC-MS/MS	0.010	0.020	No detectado
Clodinafop Propargil ester	LC-MS/MS	0.005	0.010	No detectado
Clofentizina	LC-MS/MS	0.010	0.020	No detectado
Clomazona	LC-MS/MS	0.005	0.010	No detectado
Cloquintocet Mexil	LC-MS/MS	0.005	0.010	No detectado
Cloransulam Metil	LC-MS/MS	0.025	0.050	No detectado
Clorantraniliprole	LC-MS/MS	0.005	0.010	No detectado
Clorbufam	GC-MS/MS	0.010	0.020	No detectado
Clordano Cis	GC-MS/MS	0.005	0.010	No detectado
Clordano Trans	GC-MS/MS	0.005	0.010	No detectado
Clorfenapir	GC-MS/MS	0.010	0.020	No detectado
Clorfenvinfos No	GC-MS/MS	0.005	0.010	No detectado
Cloridazon	LC-MS/MS	0.005	0.010	No detectado
Clorimuron Etil	LC-MS/MS	0.005	0.010	No detectado
Clormefos	GC-MS/MS	0.010	0.020	No detectado
Cloromequato	LC-MS/MS	0.005	0.010	No detectado
Clorpirifos Etil	GC-MS/MS	0.005	0.010	No detectado
Clorpirifos Metil	GC-MS/MS	0.010	0.020	No detectado
Clorprofam	GC-MS/MS	0.005	0.010	No detectado
Clorsulfuron	LC-MS/MS	0.005	0.010	No detectado
Clortiofos	GC-MS/MS	0.005	0.010	No detectado
Clortion	GC-MS/MS	0.010	0.020	No detectado
Clotianidin	LC-MS/MS	0.005	0.010	No detectado
Coumafos	GC-MS/MS	0.010	0.020	No detectado
Deltametrina	GC-MS/MS	0.010	0.020	No detectado
Demeton - S Metil Sulfona	LC-MS/MS	0.005	0.010	No detectado
Demeton S Metil Sulfoxido	LC-MS/MS	0.005	0.010	No detectado
Desmedifam	LC-MS/MS	0.005	0.010	No detectado
Diazinon	GC-MS/MS	0.005	0.010	No detectado
Dicamba	LC-MS/MS	0.025	0.050	No detectado
Diclofention	GC-MS/MS	0.005	0.010	No detectado
Diclofop Metil	LC-MS/MS	0.010	0.020	No detectado
Diclorprop	LC-MS/MS	0.005	0.010	No detectado
Diclorvos	LC-MS/MS	0.005	0.010	No detectado
Diclosulam	LC-MS/MS	0.005	0.010	No detectado
Dicofol	GC-MS/MS	0.005	0.010	No detectado
Dicrotofos	LC-MS/MS	0.005	0.010	No detectado
Dieldrin	GC-MS/MS	0.005	0.010	No detectado
Dietofencarb	LC-MS/MS	0.005	0.010	No detectado
Difenilamina	GC-MS/MS	0.005	0.010	No detectado
Difenoconazole	LC-MS/MS	0.005	0.010	No detectado
Diflubenzuron	LC-MS/MS	0.005	0.010	No detectado
Diflufenican	GC-MS/MS	0.005	0.010	No detectado
Dimetenamida	LC-MS/MS	0.005	0.010	No detectado
Dimetoato	LC-MS/MS	0.005	0.010	No detectado
Dimoxistrobina	LC-MS/MS	0.005	0.010	No detectado
Dinitramina	GC-MS/MS	0.010	0.020	No detectado
Dinotefuran	LC-MS/MS	0.005	0.010	No detectado
Dioxabenzofos	GC-MS/MS	0.010	0.020	No detectado
Dioxacarb	LC-MS/MS	0.005	0.010	No detectado
Dioxatión	GC-MS/MS	0.005	0.010	No detectado
Diquat	LC-MS/MS	0.005	0.010	No detectado
Disulfoton	LC-MS/MS	0.010	0.020	No detectado
Disulfoton Sulfona	LC-MS/MS	0.010	0.020	No detectado
Disulfoton Sulfoxido	LC-MS/MS	0.005	0.010	No detectado
Ditalimfos	LC-MS/MS	0.005	0.010	No detectado
Diuron	LC-MS/MS	0.005	0.010	No detectado

This certificate is issued in accordance to instructions received from principals and conformity with the terms and conditions of the institutions whose logos form part of this certificate. According to the samples taken on the date and time of the sampling. Likewise, the liability of LIAF CONTROL SRL is limited to the amount declared by the corresponding invoice once the surveyor service has been performed; otherwise, the matter will be submitted to the courts of the city of Buenos Aires. The samples will be kept in our possession for the period requested by the client.



EPN	GC-MS/MS	0.005	0.010	No detectado
Edifenfos	LC-MS/MS	0.005	0.010	No detectado
Endosulfan Sulfato	GC-MS/MS	0.005	0.010	No detectado
Endrin	GC-MS/MS	0.005	0.010	No detectado
Epoxiconazole	LC-MS/MS	0.005	0.010	No detectado
Esfenvalerato	GC-MS/MS	0.005	0.010	No detectado
Esprocarb	GC-MS/MS	0.005	0.010	No detectado
Etefón	LC-MS/MS	0.050	0.100	No detectado
Etiofencarb	LC-MS/MS	0.005	0.010	No detectado
Etion	GC-MS/MS	0.005	0.010	No detectado
Etiprole	LC-MS/MS	0.005	0.010	No detectado
Etofumesato	LC-MS/MS	0.005	0.010	No detectado
Fenamifos	LC-MS/MS	0.005	0.010	No detectado
Fenamifos Sulfona	LC-MS/MS	0.010	0.020	No detectado
Fenamifos Sulfoxido	LC-MS/MS	0.005	0.010	No detectado
Fenarimol	GC-MS/MS	0.005	0.010	No detectado
Fenzaquin	GC-MS/MS	0.005	0.010	No detectado
Fenbuconazole	LC-MS/MS	0.005	0.010	No detectado
Fenclorfos	GC-MS/MS	0.005	0.010	No detectado
Fenhexamida	GC-MS/MS	0.020	0.040	No detectado
Fenitrothion	GC-MS/MS	0.010	0.020	No detectado
Fenmedifam	LC-MS/MS	0.005	0.010	No detectado
Fenobucarb	LC-MS/MS	0.005	0.010	No detectado
Fenotiocarb	LC-MS/MS	0.005	0.010	No detectado
Fenotrin (suma de isómeros)	GC-MS/MS	0.005	0.010	No detectado
Fenoxaprop P	LC-MS/MS	0.005	0.010	No detectado
Fenoxycarb	LC-MS/MS	0.005	0.010	No detectado
Fenpiroximato	LC-MS/MS	0.020	0.040	No detectado
Fenpropatrina	GC-MS/MS	0.005	0.010	No detectado
Fensulfotion	LC-MS/MS	0.005	0.010	No detectado
Fention	LC-MS/MS	0.005	0.010	No detectado
Fention Oxigenado Sulfoxido	LC-MS/MS	0.005	0.010	No detectado
Fention Sulfona	LC-MS/MS	0.010	0.020	No detectado
Fentoato	GC-MS/MS	0.010	0.020	No detectado
Fenvalerato	GC-MS/MS	0.005	0.010	No detectado
Fipronil	LC-MS/MS	0.005	0.010	No detectado
Fipronil Sulfona	LC-MS/MS	0.005	0.010	No detectado
Fluzifop P	LC-MS/MS	0.005	0.010	No detectado
Flubendiamida	LC-MS/MS	0.005	0.010	No detectado
Flucarbazona sódico	LC-MS/MS	0.005	0.010	No detectado
Flucitrinato	GC-MS/MS	0.005	0.010	No detectado
Fludioxonil	LC-MS/MS	0.005	0.010	No detectado
Flufenacet	LC-MS/MS	0.005	0.010	No detectado
Flufenoxuron	LC-MS/MS	0.020	0.040	No detectado
Flumetsulan	LC-MS/MS	0.010	0.020	No detectado
Flumiclorac Pentil	GC-MS/MS	0.010	0.020	No detectado
Flumioxazina	LC-MS/MS	0.005	0.010	No detectado
Fluometuron	LC-MS/MS	0.005	0.010	No detectado
Fluoroglicofeno Etil	LC-MS/MS	0.005	0.010	No detectado
Fluoxastrobina	LC-MS/MS	0.005	0.010	No detectado
Fluquinconazole	LC-MS/MS	0.005	0.010	No detectado
Flurocloridona	LC-MS/MS	0.005	0.010	No detectado
Fluroxypyr	LC-MS/MS	0.010	0.020	No detectado
Flusilazol	GC-MS/MS	0.010	0.020	No detectado
Flutriafol	LC-MS/MS	0.005	0.010	No detectado
Fluvalinato Tau	GC-MS/MS	0.005	0.010	No detectado
Fluxapiroxad	LC-MS/MS	0.005	0.010	No detectado
Fomesafen	LC-MS/MS	0.005	0.010	No detectado
Folpet	GC-MS/MS	0.030	0.060	No detectado
Fonofos	GC-MS/MS	0.005	0.010	No detectado
Foramsulfuron	LC-MS/MS	0.005	0.010	No detectado
Forato	LC-MS/MS	0.025	0.050	No detectado
Forato Oxigenado	LC-MS/MS	0.025	0.050	No detectado
Forato Sulfona	LC-MS/MS	0.005	0.010	No detectado
Forato Sulfoxido	LC-MS/MS	0.005	0.010	No detectado
Formetanato Hidrocloruro	LC-MS/MS	0.005	0.010	No detectado

This certificate is issued in accordance to instructions received from principals and conformity with the terms and conditions of the institutions whose logos form part of this certificate. According to the samples taken on the date and time of the sampling. Likewise, the liability of LIAF CONTROL SRL is limited to the amount declared by the corresponding invoice once the surveyor service has been performed; otherwise, the matter will be submitted to the courts of the city of Buenos Aires. The samples will be kept in our possession for the period requested by the client.



Formotion	LC-MS/MS	0.005	0.010	No detectado
Fosalone	LC-MS/MS	0.005	0.010	No detectado
Fosfamidón	LC-MS/MS	0.005	0.010	No detectado
Fosmet	LC-MS/MS	0.005	0.010	No detectado
Fosmet Oxon	LC-MS/MS	0.005	0.010	No detectado
Fostiazat	LC-MS/MS	0.005	0.010	No detectado
Foxim	LC-MS/MS	0.005	0.010	No detectado
Furatiocarb	LC-MS/MS	0.005	0.010	No detectado
Glifosato	LC-MS/MS	0.100	0.200	No detectado
Glufosinato de amonio	LC-MS/MS	0.050	0.100	No detectado
HCH Alfa	GC-MS/MS	0.005	0.010	No detectado
HCH Beta	GC-MS/MS	0.005	0.010	No detectado
HCH Delta	GC-MS/MS	0.005	0.010	No detectado
Halosulfuron Metil	LC-MS/MS	0.005	0.010	No detectado
Haloxifop	LC-MS/MS	0.005	0.010	No detectado
Haloxifop Metil	GC-MS/MS	0.005	0.010	No detectado
Heptacloro	GC-MS/MS	0.005	0.010	No detectado
Heptacloro Endo Epóxido	GC-MS/MS	0.005	0.010	No detectado
Heptacloro Exo Epóxido	GC-MS/MS	0.005	0.010	No detectado
Heptenofos	GC-MS/MS	0.005	0.010	No detectado
Hexaclorobenceno	GC-MS/MS	0.005	0.010	No detectado
Hexaconazol	GC-MS/MS	0.005	0.010	No detectado
Imazalil	LC-MS/MS	0.005	0.010	No detectado
Imazamox	LC-MS/MS	0.010	0.020	No detectado
Imazapic	LC-MS/MS	0.010	0.020	No detectado
Imazapir	LC-MS/MS	0.010	0.020	No detectado
Imazaquin	LC-MS/MS	0.010	0.020	No detectado
Imazetapir	LC-MS/MS	0.005	0.010	No detectado
Imidacloprid	LC-MS/MS	0.005	0.010	No detectado
Indoxacarb	LC-MS/MS	0.005	0.010	No detectado
Iodosulfuron Metil	LC-MS/MS	0.005	0.010	No detectado
Ipconazol	GC-MS/MS	0.010	0.020	No detectado
Iprobenfos	GC-MS/MS	0.005	0.010	No detectado
Iprodiona	GC-MS/MS	0.005	0.010	No detectado
Isazofos	GC-MS/MS	0.005	0.010	No detectado
Isodrin	GC-MS/MS	0.005	0.010	No detectado
Isofenfos	GC-MS/MS	0.005	0.010	No detectado
Isofenfos Metil	GC-MS/MS	0.005	0.010	No detectado
Isopirazam	LC-MS/MS	0.005	0.010	No detectado
Isoprocarb	LC-MS/MS	0.005	0.010	No detectado
Isoxaflutole	LC-MS/MS	0.005	0.010	No detectado
Kresoxim Metil	GC-MS/MS	0.005	0.010	No detectado
Lactofen	GC-MS/MS	0.005	0.010	No detectado
Leptofos	GC-MS/MS	0.005	0.010	No detectado
Lindano (gama HCH)	GC-MS/MS	0.005	0.010	No detectado
Linuron	LC-MS/MS	0.005	0.010	No detectado
Lufenuron	LC-MS/MS	0.005	0.010	No detectado
MCPA	LC-MS/MS	0.005	0.010	No detectado
Malaoxon	LC-MS/MS	0.005	0.010	No detectado
Malation	GC-MS/MS	0.005	0.010	No detectado
Mecarbam	LC-MS/MS	0.005	0.010	No detectado
Mesotrione	LC-MS/MS	0.005	0.010	No detectado
Metacrifos	GC-MS/MS	0.005	0.010	No detectado
Metalaxil (incl. Metalaxil-M)	GC-MS/MS	0.005	0.010	No detectado
Metamidofós N	LC-MS/MS	0.005	0.010	No detectado
Metconazole	LC-MS/MS	0.005	0.010	No detectado
Metidatión	LC-MS/MS	0.005	0.010	No detectado
Metiocarb	LC-MS/MS	0.005	0.010	No detectado
Metiocarb Sulfona	LC-MS/MS	0.005	0.010	No detectado
Metiocarb Sulfoxido	LC-MS/MS	0.005	0.010	No detectado
Metolaclor	LC-MS/MS	0.005	0.010	No detectado
Metolcarb	LC-MS/MS	0.005	0.010	No detectado
Metomil	LC-MS/MS	0.005	0.010	No detectado
Metominostrobin	GC-MS/MS	0.010	0.020	No detectado
Metoxicloro	GC-MS/MS	0.010	0.020	No detectado
Metoxifenocide	LC-MS/MS	0.005	0.010	No detectado

This certificate is issued in accordance to instructions received from principals and conformity with the terms and conditions of the institutions whose logos form part of this certificate. According to the samples taken on the date and time of the sampling. Likewise, the liability of LIAF CONTROL SRL is limited to the amount declared by the corresponding invoice once the surveyor service has been performed; otherwise, the matter will be submitted to the courts of the city of Buenos Aires. The samples will be kept in our possession for the period requested by the client.



Metribuzin	GC-MS/MS	0.005	0.010	No detectado
Metsulfuron Metil	LC-MS/MS	0.010	0.020	No detectado
Mevinfos (suma de isómeros)	LC-MS/MS	0.005	0.010	No detectado
Miclobutanil	GC-MS/MS	0.005	0.010	No detectado
Mirex	GC-MS/MS	0.005	0.010	No detectado
Monocrotofos	LC-MS/MS	0.005	0.010	No detectado
Napropamida	LC-MS/MS	0.005	0.010	No detectado
Nicosulfuron	LC-MS/MS	0.010	0.020	No detectado
Nonaclor	GC-MS/MS	0.005	0.010	No detectado
Novaluron	LC-MS/MS	0.005	0.010	No detectado
Ometoato	LC-MS/MS	0.005	0.010	No detectado
Oxamyl	LC-MS/MS	0.005	0.010	No detectado
Oxasulfuron	LC-MS/MS	0.010	0.020	No detectado
Oxifluorfen	LC-MS/MS	0.005	0.010	No detectado
Paraoxon Etil	LC-MS/MS	0.005	0.010	No detectado
Paraoxon Metil	LC-MS/MS	0.005	0.010	No detectado
Paraquat	LC-MS/MS	0.010	0.020	No detectado
Paration	GC-MS/MS	0.010	0.020	No detectado
Paration Metil	GC-MS/MS	0.010	0.020	No detectado
Penconazol	GC-MS/MS	0.005	0.010	No detectado
Pendimetalin	GC-MS/MS	0.005	0.010	No detectado
Pentacloroanilina	GC-MS/MS	0.010	0.020	No detectado
Pentacloroanisol	GC-MS/MS	0.005	0.010	No detectado
Pentaclorobenceno	GC-MS/MS	0.005	0.010	No detectado
Pentaclorofenol	LC-MS/MS	0.005	0.010	No detectado
Pentiopirad	LC-MS/MS	0.005	0.010	No detectado
Permetrina (suma de isómeros)	GC-MS/MS	0.010	0.020	No detectado
Picloram	LC-MS/MS	0.010	0.020	No detectado
Picoxistrobina	LC-MS/MS	0.005	0.010	No detectado
Pinoxaden	LC-MS/MS	0.005	0.010	No detectado
Piperofos	GC-MS/MS	0.005	0.010	No detectado
Piraclostrobin	LC-MS/MS	0.005	0.010	No detectado
Pirafufen Etil	LC-MS/MS	0.005	0.010	No detectado
Pirazofos	GC-MS/MS	0.005	0.010	No detectado
Piributicarb	GC-MS/MS	0.005	0.010	No detectado
Piridafention	GC-MS/MS	0.010	0.020	No detectado
Pirimetaniil	GC-MS/MS	0.010	0.020	No detectado
Pirimicarb	GC-MS/MS	0.005	0.010	No detectado
Pirimifos Etil	GC-MS/MS	0.005	0.010	No detectado
Pirimifos Metil	GC-MS/MS	0.005	0.010	No detectado
Piriproxifeno	GC-MS/MS	0.005	0.010	No detectado
Piroxsulam	LC-MS/MS	0.025	0.050	No detectado
Pralletrin	LC-MS/MS	0.010	0.020	No detectado
Primisulfuron Metil	LC-MS/MS	0.010	0.020	No detectado
Procimidona	GC-MS/MS	0.005	0.010	No detectado
Procloraz	LC-MS/MS	0.005	0.010	No detectado
Profam	GC-MS/MS	0.005	0.010	No detectado
Profenofós	GC-MS/MS	0.010	0.020	No detectado
Promecarb	LC-MS/MS	0.005	0.010	No detectado
Prometrina	GC-MS/MS	0.005	0.010	No detectado
Propamocarb	LC-MS/MS	0.005	0.010	No detectado
Propaquizafop	LC-MS/MS	0.005	0.010	No detectado
Propargita	LC-MS/MS	0.010	0.020	No detectado
Propetamfos	LC-MS/MS	0.005	0.010	No detectado
Propiconazol	GC-MS/MS	0.005	0.010	No detectado
Propoxur	LC-MS/MS	0.005	0.010	No detectado
Prosulfocarb	LC-MS/MS	0.005	0.010	No detectado
Prosulfuron	LC-MS/MS	0.005	0.010	No detectado
Protiocozazol	LC-MS/MS	0.010	0.020	No detectado
Protiocozazol Destio	LC-MS/MS	0.005	0.010	No detectado
Protiofos	GC-MS/MS	0.005	0.010	No detectado
Quinalfos	GC-MS/MS	0.010	0.020	No detectado
Quintoceno	GC-MS/MS	0.010	0.020	No detectado
Quizalofop P	LC-MS/MS	0.010	0.020	No detectado
Quizalofop p Etil	LC-MS/MS	0.005	0.010	No detectado
Quizalofop p tefuril	LC-MS/MS	0.005	0.010	No detectado

This certificate is issued in accordance to instructions received from principals and conformity with the terms and conditions of the institutions whose logos form part of this certificate. According to the samples taken on the date and time of the sampling. Likewise, the liability of LIAF CONTROL SRL is limited to the amount declared by the corresponding invoice once the surveyor service has been performed; otherwise, the matter will be submitted to the courts of the city of Buenos Aires. The samples will be kept in our possession for the period requested by the client.



Resmetrina (suma de isómeros)	GC-MS/MS	0.005	0.010	No detectado
Saflufenacil	LC-MS/MS	0.010	0.020	No detectado
Sedaxane	LC-MS/MS	0.005	0.010	No detectado
Setoxydim	LC-MS/MS	0.010	0.020	No detectado
Simazina	LC-MS/MS	0.005	0.010	No detectado
Spinetoram (suma de isómeros)	LC-MS/MS	0.005	0.010	No detectado
Spinosad (suma de isómeros)	LC-MS/MS	0.010	0.020	No detectado
Spirodiclofen	LC-MS/MS	0.005	0.010	No detectado
Sulfentazon	LC-MS/MS	0.010	0.020	No detectado
Sulfotep	LC-MS/MS	0.005	0.010	No detectado
Sulfoxaflor	LC-MS/MS	0.005	0.010	No detectado
Sulprofos	GC-MS/MS	0.005	0.010	No detectado
TEPP	LC-MS/MS	0.005	0.010	No detectado
Tebuconazol	GC-MS/MS	0.005	0.010	No detectado
Tecnazeno	GC-MS/MS	0.005	0.010	No detectado
Teflubenzuron	LC-MS/MS	0.005	0.010	No detectado
Teflutrina	GC-MS/MS	0.005	0.010	No detectado
Tepraloxidim	LC-MS/MS	0.005	0.010	No detectado
Terbucarb	GC-MS/MS	0.005	0.010	No detectado
Terbufos	LC-MS/MS	0.010	0.020	No detectado
Terbufos Sulfoxido	LC-MS/MS	0.005	0.010	No detectado
Terbutilazina	LC-MS/MS	0.005	0.010	No detectado
Terbutrina	LC-MS/MS	0.005	0.010	No detectado
Tetraclorvinfos	GC-MS/MS	0.005	0.010	No detectado
Tetraconazol	LC-MS/MS	0.005	0.010	No detectado
Tetradifon	GC-MS/MS	0.010	0.020	No detectado
Tetrametrina	GC-MS/MS	0.005	0.010	No detectado
Tiabendazol	LC-MS/MS	0.005	0.010	No detectado
Tiacloprid	LC-MS/MS	0.005	0.010	No detectado
Tiametoxam	LC-MS/MS	0.005	0.010	No detectado
Tifensulfuron Metil	LC-MS/MS	0.005	0.010	No detectado
Tiobencarb	LC-MS/MS	0.005	0.010	No detectado
Tiodicarb	LC-MS/MS	0.005	0.010	No detectado
Tiofanato Metil	LC-MS/MS	0.005	0.010	No detectado
Tiofanox	LC-MS/MS	0.040	0.080	No detectado
Tiometon	GC-MS/MS	0.005	0.010	No detectado
Tionazin	LC-MS/MS	0.005	0.010	No detectado
Tolclofos Metil	LC-MS/MS	0.005	0.010	No detectado
Topramezone	GC-MS/MS	0.010	0.020	No detectado
Tralkoxidim	LC-MS/MS	0.005	0.010	No detectado
Triadimefón	LC-MS/MS	0.005	0.010	No detectado
Triadimenol	LC-MS/MS	0.010	0.020	No detectado
Triamifós	LC-MS/MS	0.005	0.010	No detectado
Triasulfuron	LC-MS/MS	0.010	0.020	No detectado
Triazofos	GC-MS/MS	0.010	0.020	No detectado
Triclorfón	LC-MS/MS	0.010	0.020	No detectado
Tricloronato	GC-MS/MS	0.005	0.010	No detectado
Trifloxistrobina	LC-MS/MS	0.005	0.010	No detectado
Triflumuron	LC-MS/MS	0.005	0.010	No detectado
Trifluralina	GC-MS/MS	0.005	0.010	No detectado
Trinexapac Etil	LC-MS/MS	0.005	0.010	No detectado
Vamidotion	LC-MS/MS	0.005	0.010	No detectado
Vinclozolina	GC-MS/MS	0.005	0.010	No detectado
o,p DDD	GC-MS/MS	0.005	0.010	No detectado
o,p DDE	GC-MS/MS	0.005	0.010	No detectado
o,p DDT	GC-MS/MS	0.005	0.010	No detectado
p,p DDD	GC-MS/MS	0.005	0.010	No detectado
p,p DDE	GC-MS/MS	0.005	0.010	No detectado
p,p DDT	GC-MS/MS	0.005	0.010	No detectado
Oxido de fenbutatin	LC-MS/MS	0.010	0.020	No detectado

The laboratory test results reported in this certificate are available only to the one described in this certificate product.

This certificate is issued in accordance to instructions received from principals and conformity with the terms and conditions of the institutions whose logos form part of this certificate. According to the samples taken on the date and time of the sampling. Likewise, the liability of LIAF CONTROL SRL is limited to the amount declared by the corresponding invoice once the surveyor service has been performed; otherwise, the matter will be submitted to the courts of the city of Buenos Aires. The samples will be kept in our possession for the period requested by the client.



QUALITY CERTIFICATE ADDITIONAL



b80afc608a
Security Code

PLACE AND DATE ISSUE CERTIFICATE: Buenos Aires City, August 27, 2024

Signature of Authorized Personnel
LIAF CONTROL SRL



This certificate is issued in accordance to instructions received from principals and conformity with the terms and conditions of the institutions whose logos form part of this certificate. According to the samples taken on the date and time of the sampling. Likewise, the liability of LIAF CONTROL SRL is limited to the amount declared by the corresponding invoice once the surveyor service has been performed; otherwise, the matter will be submitted to the courts of the city of Buenos Aires. The samples will be kept in our possession for the period requested by the client.

